

Comparing C Code Trees

Dr. Warren Toomey, School of IT
wtoomey@staff.bond.edu.au

This seminar will summarise the current state of the lawsuit that SCO has brought against IBM for breaches of contract and alleged transfer of UNIX source code into the Linux kernel. We will also examine how to construct tools for comparing two distinct trees of C code.


Where This All Began – Part One

- 1970s: UNIX created in AT&T's Bell Labs. AT&T unable to sell UNIX. Universities able to obtain licenses to modify code.
- 1980s: AT&T creates independent USL to sell System V UNIX. Source and binary licenses available. Various 3rd party Unices (Solaris, AIX, Ultrix), as well as the BSD branch from Berkeley.
- 1990s: BSD releases Net/2. Later, USL sues BSDi and UCB for 32V license violation. Settled out of court when Novell buys USL.
- Same time: Linus Torvalds develops Linux kernel which has no UNIX source code legacy. BSDs miss out due to legal cloud.

Where This All Began – Part Two

- Novell renames System V to Unixware. System V begins to show its age. Sun manages to keep improving Solaris. Ditto for IBM's AIX.
- The Santa Cruz Operation buys Unixware from Novell, renames as SCO Unixware.
- Linux improves in leaps and bounds from individuals & companies like IBM, SGI, Caldera etc.
- Caldera merges with SCO to get sales channels. Must support legacy UNIX code as well.
- SCO/Caldera renames itself as the SCO Group, not the Santa Cruz Operation.

Simplified UNIX Family Tree



- For way too much more information, see www.levenez.com/unix/history.html

SCO vs. IBM

- IBM has System VR4 source license, used to develop AIX. IBM has also contributed code to the Linux kernel.
- March 2003: SCO sues IBM for \$3B in damages, claims IBM violated source license, alleges IBM introduced UNIX code and methods into the Linux kernel.
- SCO continues to distribute Linux until May 2003.
- SCO claims “millions of lines of UNIX code” in Linux, shows ~30 lines of similar code in public.
- SCO considers demanding license fees from Linux users to protect them from future legal action.

SCO's Evidence of Stolen Code

Line by Line Copying — One Example of Many



Linux Kernel Code

```
if (size == 0)
    return ((ulong_t) NULL);

s = mutex_spinlock(maplock(mp));

for (bp = mapstart(mp); bp->m_size; bp++) {
    if (bp->m_size >= size) {
        a = bp->m_addr;
        bp->m_addr += size;
        if ((bp->m_size -= size) == 0) {
            do {
                bp++;
                (bp-1)->m_addr = bp->m_addr;
            } while (((bp-1)->m_size) = (bp->m_size));
            mapsize(mp)++;
        }

        ASSERT(bp->m_size < 0x80000000);
    }
}
```

...

12

SCO's Evidence of Stolen Code

Corresponding System V code:

```
s = splimp();          /* enter critical region */
for (bp = mp; bp->m_size && ((bp-mp) < MAPSIZ); bp++) {
    if (bp->m_size >= size) {
        a = bp->m_addr;
        bp->m_addr += size;
        if ((bp->m_size -= size) == 0) {
            do {
                bp++;
                (bp - 1)->m_addr = bp->m_addr;
            } while ((bp - 1)->m_size = bp->m_size);
        }
    }
    splx(s);          /* exit critical region */
    return (a);
}
```

Comments on This Example

- Yes, SysV code was placed into the Linux kernel. Not by IBM, but by SGI for the ia64 platform.
- The code was removed due to its “ugliness”.
- Code first appeared in UNIX in 1973, and is based on a 1968 algorithm by Knuth.
- Code was published in book form in 1997.
- Caldera *released* early UNIXes under a BSD license in 2002, *before* code was added to Linux!
- The Unix Heritage Society(which I run) was critical in tracing the code’s genealogy.
- I had to send SCO copies of the UNIX code from before System V!

The Other Code Presented by SCO

- SCO presented another snippet of code in Linux which it claimed was from System V.
- The code turns out to be Berkeley Packet Filter code, written in 1991 and placed under the BSD license:

Copyright (c) 1990, 1991 The Regents of the University of California. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer...

- It seems that when the BPF code was integrated into System V, the BSD copyright notice was removed.
- Thus, if SCO believes that this is their code, someone violated the BSD license between 1991 and now.

How to Tell if SCO is Right?

- The Unix Heritage Society & its members has access to several versions of System V source code.
- We need code comparison tools to spot any System V code in Linux, and vice versa.
- Code comparison isn't easy:
 - code can be rearranged,
 - variables renamed,
 - comments added & removed
- Existing tools mostly line-based, will only spot unaltered code copying.
- Full parse tree analysis impossible, due to C pre-processor directives and macros.

Code Comparison Requirements

- Must permit code rearrangement and variable renaming etc. to some extent.
- Must be reasonably fast: $O(n^2)$ or better.
- Code representation must be exportable without giving code away; allows other to verify code comparison.
- If possible, should detect different coding of same algorithm: trade secret issue, not a copyright issue.

My Idea: Lexical Comparison

- Break C code into lexical *tokens*, compare runs of tokens.
- This removes all semantics, but deals with code rearrangement.

- C has about 100 lexical units:

Single chars: [] { } + - * / % !

Multiple chars: ++ && += !=

Keywords: int char return if for while do break

Values: identifiers “strings” ‘x’ 1000L

- Encode each token into 1 byte, then do “string” comparison on 2 strings, one for each code tree.

1st Implementation: Brute-Force

- 1st implementation was a proof of concept one.
- For each token in first string: find matching strings starting at this point in the second string:

HELLOTHEREHOWAREYOU?

WHATCELLOBEWARELOTHERE?

- Values of identifiers, string & other constants are stripped, so as to not reveal original code.
- Brute-force is $O(n * m)$, n & m are string lengths.
- Slowed down by keeping “LINE” tokens within the data structures, and by poor loop design.

1st Implementation: Poor Accuracy

- Missed some matches due false skipping, e.g:

HELLOTHEREHOWAREYOU?

WHATCELLOBEWARELOTHERE?

(H)ELLO matches (C)ELLO, but can't skip to
THERE, as (L)LOTHERE matches (E)LOTHERE.

- Too many false matches due to loss of identifiers,
and also common C features:

```
#include < word . word >
```

```
#include < word . word >
```

and

```
int id [ ] = ( num, num, num,  
              num, num, num, num, ... )
```

Fixes to 1st Version

- Remove skipping. Add run-time switch to ignore C pre-processor directives.
- Encode bottom 16-bits of numeric constants.
 - Allows rejection of non-matching numeric constants.
 - Reveals some details of the original code, not enough to breach copyright issues (I hope).
- Still many false positives, e.g:

```
for (d=0; d < NDRV; d++)
```

and

```
for (i=0; i < j; i++)
```

Code Isomorphism

- Code which is isomorphic can be detected if we can see a 1-to-1 relationship between identifiers:

```
int maxofthree(int x, int y, int z)
{
    if ((x>y) && (x>z)) return(x);
    if (y>z) return(y);
    return(z);
}
```

```
int bigtriple(int b, int a, int c)
{
    if ((a>c) && (a>b)) return(a);
    if (c>b) return(c);
    return(b);
}
```


Code Isomorphism

- Must record order of occurrence of each identifier in each file: 1st id, 2nd id, 3rd id, 1st id again, 3rd id again.
- Then check 1-to-1 identifier correspondence:

Identifier	Tag	Tag	Identifier
x	id1	\Leftrightarrow id1	a
y	id2	\Leftrightarrow id2	c
z	id3	\Leftrightarrow id3	b

- But if new identifier $q \Rightarrow b$, error as $z \Leftarrow b$.

2nd Version: Isomorph + Hashes

- Keep 16 bits of numeric constants. Keep numeric identifier tags. Still allows export of tokenised code tree.
- Isomorphic code reduces false matches.
- Hash groups of 4 tokens into 32-bit integer.
- Integer compares reduce cost of comparison, but only once the start of a run is found. Still, about 4x faster than brute-force.
- Must still traverse token by token to find start of run.
- Initial isomorphism code was buggy and complicated; actual solution turned out to be very elegant.

Rabin-Karp Comparison Algorithm

- Existing code: search to find start, search to find matching run.
- Assume we want to find minimum match of m tokens.
- Once possible start of a run is found, must do up to m token comparisons to prove match, i.e. `strcmp("cat", "car")`.
- Instead, calculate *hash* of first token run of size m , *hash* of second run of size m , compare hashes, i.e. `hash("cat") == hash("car")`?
- Use rolling hash function that is $O(1)$ to shift 1 token, i.e. calculating `hash("arm")` from `hash("car")` is easy.

3rd Version: Use R-K for Speed

- Given minimum threshold m , use Rabin-Karp to find matching token hashes of length m from first code tree in the second code tree.
- No identifier tags nor numeric values used here for speed; more non-matches than matches.
- Possible hash collisions anyway, so then follow up with isomorphic test to find possibly *longer* runs, or disprove the ‘match’ found by Rabin-Karp.
- Keep track of matches, so we don’t report smaller matches in the same area, e.g. “HELLO” matches “HELLO”, but “ELO” matches “ELO”.
- About 8 to 16 times faster than the brute-force approach.

Validating the Lexical Approach

- In the USL vs. BSDi court case in the 1990s, USL alleged the existence of significant amounts of 32V code in Net/2, which had been released under a BSD license.
- Kirk McKusick's deposition in the case: there are only 56 lines of code common to the 32V and Net/2 kernels (13K lines in 32V, 230K in Net/2).
- Lexical comparison finds all but 7 of these lines: singles or doubles below the threshold of 20 tokens. Total run time on 2GHz Pentium: 50 seconds.
- However, the comparison finds several other runs of similar code not found by McKusick.

32V cf. Net/2: Missed Matches

Net/2

```
if (bswlist.b_flags & B_WANTED) {  
    bswlist.b_flags &= ~B_WANTED;  
    thread_wakeup((int) &bswlist);  
}
```

32V

```
if (bfreelist.b_flags & B_WANTED) {  
    bfreelist.b_flags &= ~B_WANTED;  
    wakeup((caddr_t) &bfreelist);  
}
```

Comments on Implementation

- The brute force version works but is slow.
- Algorithms are like tools: use them where you can. Know a repertoire, and have a good reference book.
- Why did I consider lexical analysis? I was exposed to a compiler course.
- Isomorphic comparison: elegant & clever IMHO.
- Only tokens, portions of numeric constants, identifier tags exported from source tree: this should not breach license conditions.
- Regardless, any comparison of millions of lines of code will be slow.

Other Uses for Code Comparison

- Dare I say it? Plagiarism detection.
- Can detect variable renaming and code reformatting.
- However, experience indicates there are lots of code similarity in introductory programming courses: generally only one way taught to do things.
- More useful for advanced courses and student projects.
- Another use: code genealogy. It would be useful in tracing the development of code trees, where no source code revision system has been used.

Where to get the Implementation?

- For info on SCO vs. IBM, see <http://www.groklaw.com>
- My lexical comparison tool is at <http://minnie.tuhs.org/Programs/>
- It includes a collection of tokenised source trees, including several System V releases.
- Overall: 1,000 lines of C, 100 lines of header files, 250 lines of *lex* source.
- Eric Raymond's line-based comparison tool is at <http://www.catb.org/~esr/comparator/>
- His also has cleverness built in, so each tool should validate the other.